

## 100 litre gas bratt pans

The Electrolux 900-Line of modular cooking equipment is designed to meet the heavy duty cooking requirements of institutional caterers and the larger restaurants and hotel kitchens. The flexibility of the modular design, with innumerable configurations either free-standing, bridged or cantilever, can be precisely tailored to meet the needs of the caterer. The models detailed on this sheet are 100 litre gas bratt pans.



210303

### EASY TO INSTALL

- Main connections can be via the base of the unit.
- All models provided with service duct to facilitate installation.
- All models can be installed on cantilever system.

### EASY TO CLEAN

- Well and double skinned lid/worktop in 304 AISI stainless steel.
- Front, side, rear and bottom panels in stainless steel with Scotch Brite finish.
- All models have right-angled side edges to allow flush-fitting joins between units, eliminating gaps and possible dirt traps.
- The special design of the control knob system guarantees against water infiltration.

### EASY TO USE

- Burners in 304 AISI stainless steel with optimized combustion, flame failure device to protect against accidental extinguishing of the flame and automatic ignition with electronic flame control.
- Choice of well cooking surface in mild steel or compound (3 mm of 316 AISI stainless steel on top of 12 mm of mild steel).
- Mild steel: dry cooking and regular frying.
- Compound: like mild steel but also damp cooking.
- Working temperature (from 120°C to 300°C) controlled through a thermostat and energy input through an energy regulator.
- All the Bratt Pans incorporate an AISI tap as standard.

- Manual tilt mechanism to facilitate the emptying of the Bratt Pan.
- All gas appliances are supplied for use with natural gas, with LPG conversion jets supplied as standard.

### EASY TO MAINTAIN

- IPX5 water protection.

### EASY ON THE ENVIRONMENT

- 98% recyclable by weight.
- CFC free packaging.



**Electrolux**

**Elco 900**  
**100 litre gas bratt pans**


|                                          | <b>ZBRTG4M<br/>210303</b> | <b>ZBRTG4MA<br/>210304</b> | <b>ZBRTG4S<br/>210305</b> | <b>ZBRTG4SA<br/>210306</b> |
|------------------------------------------|---------------------------|----------------------------|---------------------------|----------------------------|
| <b>TECHNICAL DATA</b>                    |                           |                            |                           |                            |
| Power supply                             | Gas                       | Gas                        | Gas                       | Gas                        |
| External dimensions - mm                 |                           |                            |                           |                            |
| width                                    | 1000                      | 1000                       | 1000                      | 1000                       |
| depth                                    | 930                       | 930                        | 930                       | 930                        |
| height                                   | 850                       | 850                        | 850                       | 850                        |
| height adjustment                        | 50                        | 50                         | 50                        | 50                         |
| Thermostatic valve                       | ●                         | ●                          | ●                         | ●                          |
| Temperature limiter                      | ●                         | ●                          | ●                         | ●                          |
| Working temperature - min/max - °C       | 120, 300                  | 120, 300                   | 120, 300                  | 120, 300                   |
| Power - kW                               |                           |                            |                           |                            |
| gas                                      | 24                        | 24                         | 24                        | 24                         |
| Power - kW                               |                           |                            |                           |                            |
| installed-electric                       | 0.2                       | 0.2                        | 0.2                       | 0.2                        |
| Net weight - kg.                         | 180                       | 180                        | 180                       | 180                        |
| Supply voltage                           | 230 V, 1N, 50/60          | 230 V, 1N, 50/60           | 230 V, 1N, 50/60          | 230 V, 1N, 50/60           |
| <b>ACCESSORIES</b>                       |                           |                            |                           |                            |
| *NOT TRANSLATED*                         | 206305                    | 206305                     | 206305                    | 206305                     |
| 2 PANELS FOR SERVICE DUCT (BACK TO BACK) | 206202                    | 206202                     | 206202                    | 206202                     |
| 2 PANELS FOR SERVICE DUCT (SINGLE INST.) | 206181                    | 206181                     | 206181                    | 206181                     |
| 2 SIDE KICKING STRIPS                    | 206180                    | 206180                     | 206180                    | 206180                     |
| 2 SIDE PANELS FOR GRILL / BRATT PAN      | 206207                    | 206207                     | 206207                    | 206207                     |
| DRAUGHT DIVERter WITH 150 MM DIAMETER    | 206132                    | 206132                     | 206132                    | 206132                     |
| FLANGED FEET KIT                         | 206136                    | 206136                     | 206136                    | 206136                     |
| FLUE CONDENSER FOR 1 MODULE DIAM.150MM   | 206156                    | 206156                     | 206156                    | 206156                     |
| FRONTAL KICKING STRIP 1000 MM            | 206177                    | 206177                     | 206177                    | 206177                     |
| FRONTAL KICKING STRIP 1200 MM            | 206178                    | 206178                     | 206178                    | 206178                     |
| FRONTAL KICKING STRIP 1600 MM            | 206179                    | 206179                     | 206179                    | 206179                     |
| FRONTAL PANEL FOR 100 LT BRATT PAN       | 206200                    | 206200                     |                           | 206200                     |
| JUNCTION SEALING KIT                     | 206086                    | 206086                     | 206086                    | 206086                     |
| KIT 4 FEET GRILL/BRATT PAN-CONCRETE INST | 206163                    | 206163                     | 206163                    | 206163                     |
| MATCHING RING FOR FLUE CONDENSER 150DIAM | 206133                    | 206133                     | 206133                    | 206133                     |
| PRESSURE REGULATOR FOR GAS UNITS         | 927225                    | 927225                     | 927225                    | 927225                     |
| SUPPORT FOR "BRIDGE" SYSTEM 1000 MM      | 206138                    | 206138                     | 206138                    | 206138                     |
| SUPPORT FOR "BRIDGE" SYSTEM 1200 MM      | 206139                    | 206139                     | 206139                    | 206139                     |
| SUPPORT FOR "BRIDGE" SYSTEM 1400 MM      | 206140                    | 206140                     | 206140                    | 206140                     |
| SUPPORT FOR "BRIDGE" SYSTEM 1600 MM      | 206141                    | 206141                     | 206141                    | 206141                     |
| SUPPORT FOR "BRIDGE" SYSTEM 800 MM       | 206137                    | 206137                     | 206137                    | 206137                     |

CAMB010

2009-07-04

**Elco 900**  
100 litre gas bratt pans

210303, 210306, 210305, 210304



CAMB010

2009-07-04

|                            | ZBRTG4M<br>210303 | ZBRTG4MA<br>210304 | ZBRTG4S<br>210305 | ZBRTG4SA<br>210306 |
|----------------------------|-------------------|--------------------|-------------------|--------------------|
| <b>LEGEND</b>              |                   |                    |                   |                    |
| CWI - Cold water inlet     | 3/4"              | 3/4"               | 3/4"              | 3/4"               |
| EI - Electrical connection | 230 V, 1N, 50/60  | 230 V, 1N, 50/60   | 230 V, 1N, 50/60  | 230 V, 1N, 50/60   |
| G - Gas connection         | 1/2"              | 1/2"               | 1/2"              | 1/2"               |